

# Cabinets for Exclusive Use of Fire Fighters



**previTOP®**



PREVITOP - Comércio e Serviços Unipessoal, Lda  
[www.previtop.pt](http://www.previtop.pt)



Company Registered in ANPC with n° 500

# Cabinets for the Exclusive Use of Fire Fighters

For WALL-MOUNTING or RECESS-MOUNTING



To download a CAD file please go to [www.previtop.pt](http://www.previtop.pt). Free registration and download.

Reference	Dimensions (mm) H x W x D
14.1H	700 x 460 x 250*
	700 x 460 x 350*
	800 x 800 x 500**
20.1 (Trim frame 25 mm)	700 x 460
	800 x 800

### CABINET SPECIFICATIONS

- » Cabinet made in 0,8 mm and 1 mm galvanized steel plate.
- » Painting 70 µm polyester RAL 3000 or RAL 7032.
- » Antipanic PREVITOP door lock.
- » Drilled holes for mounting.
- » 180° door opening.
- » Exterior door.

### INCLUDES

- » Door sign in accordance with ISO 7010.

### NOTES

- » \* According to ordinance 1532/2008.
- » \*\* According to NT 13 (wet and dry systems).
- » The cabinet can be used for WALL-MOUNTING or RECESS-MOUNTING.
- » Orders must be placed by model + dimensions.




Cabinet to be placed on its own or together with High range models in order to visually harmonize fire fighting equipments.

Options	Cabinet Colour	Accessories	Cabinet
	RAL Ref.: (custom colour)	Door with vision panel Trim frame	Stainless Steel A 304
			Stainless Steel A 430
			Stainless Steel A 316

# Cabinets for the Exclusive Use of Fire Fighters

For WALL-MOUNTING



Reference	Dimensions (mm)	Dimensions (mm)
	A x L x P (Work)	H x W x D
14.2H	660 x 410 x 255	700 x 460 x 250*
	660 x 410 x 355	700 x 460 x 350**
	760 x 750 x 505	800 x 800 x 500

### CABINET SPECIFICATIONS


- » Inner box in 0,8 and 1,0 mm galvanized steel plate.
- » Frame with 1 mm galvanized plate door.
- » Painting 70 µm polyester RAL 3000.
- » Antipanic PREVITOP door lock.
- » 180° door opening.
- » Exterior door.

### INCLUDES

- » Door sign in accordance with ISO 7010.

### NOTES

- » \* According to ordinance 1532/2008.
- » \*\* According to NT 13 (wet and dry systems).
- » The cabinet can be used for WALL-MOUNTING or RECESS-MOUNTING.
- » Orders must be placed by model + dimensions.




Ideal to match with the catalogue's High range models.

Options	Cabinet Colour	Accessories	Cabinet
	RAL Ref.: (custom colour)	Door with vision panel	Stainless Steel A 304
			Stainless Steel A 430
			Stainless Steel A 316

# Cabinets for the Exclusive Use of Fire Fighters

For WALL-MOUNTING or RECESS-MOUNTING






180° door opening



Painting 70 µm polyester RAL 3000



Galvanized plate



To download a CAD file please go to [www.previtop.pt](http://www.previtop.pt). Free registration and download.

Reference	Dimensions (mm) H x W x D
14.3	400 x 300 x 200 300 x 300 x 200
20.1 (Trim frame 25 mm)	300 x 300 400 x 300

### CABINET SPECIFICATIONS

- » Cabinet made in 0,8 mm galvanized steel plate.
- » Painting 70 µm polyester RAL 3000.
- » Drilled holes for mounting.
- » Mark lock.
- » Cabinet door with glass.
- » 180° door opening.
- » Interior door.


### NOTES

- » The cabinet can be used for WALL-MOUNTING or RECESS-MOUNTING.
- » Orders must be placed by model + dimensions.
- » EUFF (exclusive use of fire fighters) cabinet for globe valve.



Options	Cabinet Colour	Accessories	Cabinet
	RAL Ref.: (custom colour)	Door with vision panel Trim frame	Stainless Steel A 304
			Stainless Steel A 430
			Stainless Steel A 316

# Cabinets for the Exclusive Use of Fire Fighters



Reference	Dimensions (mm) H x W x D
14.4	400 x 600 x 300

### CABINET SPECIFICATIONS

- » Cabinet made in 0,8 mm to 1 mm galvanized steel plate.
- » Painting 70 µm polyester RAL 3000.
- » Drilled holes for mounting.
- » Triangular lock.
- » 180° door opening.

### NOTES

- » The cabinet can be used for WALL-MOUNTING or RECESS-MOUNTING.
- » Orders must be placed by model + dimensions.
- » EUFF (exclusive use of fire fighters) suitable for storing mouth Siamese.



Options	Cabinet Colour	Accessories	Cabinet
	RAL Ref.: (custom colour)	Trim Frame Lock metallic triangular	Stainless Steel A 304
			Stainless Steel A 430
			Stainless Steel A 316